

CHEESEHEAD CHALLENGE

CLASS REQUIREMENTS

Briggs 206 Cadet

6.1.1 Age

7 through 10 years old

6.1.2 Engines/Fuel/Weight

Briggs & Stratton 206 (restricted)

Gas only

240 lbs. (kart and driver)

6.2.3 Tire Spec

MG VK (Orange) 10x4.60-5 front and rear.

6.2.4 Miscellaneous

Briggs & Stratton 206 (restricted) requires unaltered "Red" .440-inch slide (P/N 555733) and locking cap. Engine tech per the Briggs & Stratton 206 United States Rule Set. Drum clutch required.

Briggs 206 Sportsman

6.2.1 Age

7 through 12 years old

6.2.2 Engines/Fuel/Weight

Briggs & Stratton 206 (restricted)

Gas only

260 lbs. (kart and driver)

Standard & Cadet Kart

6.2.3 Tire Spec

MG (Red) 10x4.60-5 front and rear.

6.2.4 Miscellaneous

Briggs & Stratton 206 (restricted) requires unaltered "Green" .490-inch slide (P/N 555740) and locking cap. Engine tech per the Briggs & Stratton 206 United States Rule Set. Drum clutch required.

Mini Swift

6.5.1 Age

7 through 12 years old

6.5.2 Engines/Fuel/Weight

IAME Mini Swift

Gas and Oil only

250 lbs. (kart and driver) Standard and Cadet Kart

6.5.3 Bodywork

All bodywork must be CIK-style in appearance and must meet WKA Manufacturer's Cup specifications. Front nose must be equipped with a CIK-homologated pushback nose system with a maximum of two CIK-homologated clamps.

6.5.4 Tire Spec

MG (Red) 10x4.60-5 Front and rear.

6.5.5 Miscellaneous

Engine per current WKA tech.

6.6 Briggs 206 Junior

6.6.1 Age

12 through 15 years old

6.6.2 Engines/Fuel/Weight

Briggs & Stratton LO206 (restricted)

Gas only

320 lbs. (kart and driver)

6.6.3 Tire Spec

MG (Red) 10x4.60-5 front 11x6.00-5 rear

6.6.4 Miscellaneous

Briggs & Stratton 206 (restricted) requires unaltered "Yellow" .570-inch slide (P/N 555741) and locking cap. Engine tech per the Briggs & Stratton 206 United States Rule Set. Drum clutch required.

IAME 100 Junior

6.9.1 Age

12 through 15 years old

6.9.2 Engines/Fuel/Weight

KA100 with Junior Restrictor

Gas and Oil only

320 lbs. (kart and driver)

6.9.3 Bodywork

All bodywork must be CIK-style in appearance and must meet WKA Manufacturer's Cup specifications. Front nose must be equipped with a CIK-homologated pushback nose system with a maximum of two CIK-homologated clamps.

6.9.4 Tire Spec

MG (Red) 10x4.60-5 front, 11x7.10-5 rear.

6.9.5 Miscellaneous

KA100 engine, Tillotson HW-33A carburetor, factory airbox required. Exhaust as supplied by manufacturer. Junior restrictor as supplied by manufacturer.

Briggs 206 Senior

6.11.1 Age

15 years or older

6.11.2 Engines/Fuel/Weight

Briggs & Stratton LO206

Gas only

375 lbs. (kart and driver)

6.11.3 Tire Spec

MG (Red) 10x4.60-5 front 11x6.00-5 rear

6.11.4 Miscellaneous

Engine tech as per current Briggs & Stratton 206 Senior specifications in the Briggs & Stratton 206 United States Rule Set. Drum clutch required.

Yamaha Supercan

6.14.1 Age

15 years or older

6.14.2 Engines/Fuel/Weight

100cc Yamaha KT100S

Gas and Oil

355 lbs (kart and driver)

6.14.3 Bodywork

All bodywork must be CIK-style in appearance and must meet WKA Manufacturer's Cup specifications. Front nose must be equipped with a CIK-homologated pushback nose system with a maximum of two CIK-homologated clamps.

6.14.4 Tire Spec

MG (Red) 10x4.60-5 front 11x7.10-5 rear

6.14.5 Miscellaneous

100cc Stock Yamaha KT100S. Must use RLV-SSX stock box muffler only. SSX box muffler must be original unaltered RLV-SSX part #7548 (the can with four outlet holes spaced 90 degrees to each other) or part #7543 (the can with the four outlet holes evenly spaced between the 12 and 3 o'clock positions) or Part #7540 (4 holes, holes up).

TaG 100 Senior

6.15.1 Age

15 years or older

6.15.2 Engines/Fuel/Weight

KA100

Vortek ROK VLR

Gas and Oil only

360 lbs. (kart and driver)

6.15.3 Bodywork

All bodywork must be CIK-style in appearance and must meet WKA Manufacturer's Cup specifications. Front nose must be equipped with a CIK-homologated pushback nose system with a maximum of two CIK-homologated clamps.

6.15.4 Tire Spec

MG (Red) 10x4.60-5 front, 11x7.10-5 rear.

6.15.5 Miscellaneous

KA100 engine, Tillotson HW-33A carburetor, factory airbox required. ROK VLR with Tillotson HW-38A carburetor. Exhaust as supplied by manufacturer.

Tag Masters

Age Requirement: Members must be 32 years of age before the end of the calendar year.

New Drivers: Starting position for drivers, new to the series will be at the sole discretion of the Series Directors and/or Race Director of the host facility.

Tires: MG (Red).

Chassis: TaG Masters follows the 2021 WKA 100 cc specifications. Note: Push back front bumper is required for 2021. **Front Brakes:** TAG Masters does not allow the use of front brakes. Anyone presenting with front brakes installed will be required to disconnect the front master control rod.

Spec Fuel: Race or pump gas are a tech item and subject to inspection at any time.

Engine Specification: The TaG Masters series will follow the WKA 2021 100cc Engine specification as listed in the 2021 WKA Technical Manual. Both the IAME KA100 and Vortex VLR 100 engines are legal.

Kart Weight with Driver: All competitors must present, post qualifying or race at 380 lbs.